



CIBOPLUS/R - Lincat CiBO+ High Speed Oven - Red

CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency. Cooking in seconds, not minutes without compromise on the quality of food delivered.

- ✓ CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency.
- ✓ TurboAir distributes high-speed airflow in a cylindrical pattern over the food for fast even colouration.
- ✓ Adjustable temperature control, rapid heat up, and direct cooking on the toughened neo ceram ContactBase delivers perfect base colouration and crispiness - there are no soggy bottoms with CiBO+!
- ✓ A rear launched microwave with a stirrer brings speed to the cooking process.
- ✓ Achieve the same high-quality results for every order. Simply press any one of the 40 menu items on the QPad touch screen and the oven will do the rest.
- ✓ Easily customise the position of menu items or recipe settings to suit your business with Touch & Change. Just touch what you want to change.
- ✓ 395mm x 665mm compact footprint with a generously sized oven. CiBO+ can fit anywhere yet still deliver a 12" pizza.
- ✓ No installation required - plug-in and cook.
- ✓ Utilise non-traditional spaces with ventless technology.
- ✓ Antimicrobial protection reduces the spread of viruses on touchpoints.

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	3
Range	CiBO+	Temperature Range °C	30-280
Series	CiBO+	IP Rating	IP23
Power Type	Electric	Cooking Area (Width x Depth) mm	340 x 340
Unit Type	Counter-top	Temperature Control	Electronic
Available in UK Only	No	Oven Rating kW	2.7
UK Warranty	2 Years Parts and Labour Warranty	Microwave Power Watts	1,000
Export Warranty	Contact your local dealer		
GTIN	5056105123590		
Key Specifications		Capacity	
Heated Base	Yes	Gastronorm Capacity	GN2/3
		Pizza Capacity	1 x 12"
		Capacity Litres	23
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	640	Requires Installation	No
Unit Width (External) mm	395	Requires Electrical Supply	Yes
Unit Depth (External) mm	728	UK 3 Pin Plug	Yes
Height (Internal) mm	195	Requires Hardwiring	No
Width (Internal) mm	340	Electrical Supply Rating Watts	3,000
Depth (Internal) mm	340	Single Phase Amps	13
Net Weight Kg	52	Single Phase Voltage	230




Shipping

Packed Weight Kg	65
Packed Height cm	87.5
Packed Width cm	50
Packed Depth cm	84

Available Accessories

CIBO/ET	Multi-tray for CiBO Ovens
CIBO/TT	Teflon Tray for CiBO Ovens
LT02	Paddle for CiBO+ Ovens
LTH01	Magnetic Paddle Hanger for CiBO+ Ovens
NSBT23	Non-stick Baking Tray for CiBO+ Ovens
OC01	CiBO+ Sparkle Oven Cleaner
OS01	CiBO+ Protect Oven Shield
SH136	Wire Rack for Cibo Ovens
SK05	Moveable Stacking Stand, with front lock castors for CiBO+ Ovens
TFS05	Teflon Sheet for Cibo Ovens [300mm x 300mm]

Technical Picture



Lincat **frifri**

Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm