



## PHGR01/N - Lincat Phoenix Natural Gas Free-standing Oven Range - 6-Zone - W 900 mm - 46.0 kW

'No frills' - power, durability and energy efficiency, and excellent value for money.

- ✓ Powerful 6kW burners - the pan will heat up quicker, speeding up processes such as boiling and sautéing, achieving a caramelised colour faster
- ✓ Fully pressed hob - Simpler and quicker to clean
- ✓ Twin heavy-duty cast iron supports, built to withstand the rigours of the busiest kitchen
- ✓ Low flue, hob top accommodates larger pans
- ✓ Flame failure protection
- ✓ Powerful 10kW oven - the oven will heat up faster and recover more quickly when loaded. Large 4x GN1/1 capacity enabling four different foods to be cooked simultaneously
- ✓ 2 shelves and 5 shelf positions maximise oven space
- ✓ Castors supplied as standard, not as a chargeable extra

### Specifications

#### Summary

#### Power and Performance

<b>Brand</b>	Lincat
<b>Range</b>	Phoenix
<b>Power Type</b>	Gas
<b>Gas Type</b>	Natural Gas
<b>Unit Type</b>	Free-standing
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105121367

<b>BTU per Hour</b>	156,952
<b>Total Power kW</b>	46
<b>Temperature Range °C</b>	120 - 260
<b>Temperature Control</b>	Mechanical
<b>Rating per Hob kW</b>	6
<b>Oven Rating kW</b>	10

#### Key Specifications

#### Capacity

<b>Number of Shelves included</b>	2
<b>Number of Shelf Positions</b>	5
<b>Number of Hobs</b>	6

<b>Gastronorm Capacity</b>	4 x GN1/1
----------------------------	-----------

#### Weights and Dimensions

#### Supply Connections

<b>Unit Height (External) mm</b>	900
<b>Unit Width (External) mm</b>	900
<b>Unit Depth (External) mm</b>	800
<b>Height (Internal) mm</b>	400
<b>Width (Internal) mm</b>	715
<b>Depth (Internal) mm</b>	530
<b>Shelf Dimensions Width mm</b>	710
<b>Shelf Dimensions Depth mm</b>	512
<b>Net Weight Kg</b>	125

<b>Requires Installation</b>	Yes
<b>Requires Electrical Supply</b>	No
<b>UK 3 Pin Plug</b>	No
<b>Requires Hardwiring</b>	No
<b>Gas Connection BSP</b>	3/4"
<b>Gas Consumption at full rate Natural m<sup>3</sup> per Hour</b>	4.38
<b>Gas Pressure Natural mbar</b>	20
<b>Total heat input at full rate Natural kW</b>	46
<b>Total heat input at full rate Natural BTU per hour</b>	156,952


## Shipping

Packed Weight Kg	145
Packed Height cm	105
Packed Width cm	100
Packed Depth cm	85

## Available Accessories

LK12	NULL
OA8902	SPLASHBACK/SHELF - OG8002

## Technical Picture



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of

**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm